



अखिल भारतीय तकनीकी शिक्षा परिषद्  
ALL INDIA COUNCIL FOR TECHNICAL EDUCATION  
(भारत सरकार का एक सांविधिक संस्थान) (A STATUTORY BODY OF THE GOVERNMENT OF INDIA)

PROF. A.M. AGRAWAL  
ADVISER (E&T)

F.No.: 740-89-342(E)/ET/99  
Date : 02.11.2000

To  
The Principal Secretary  
Higher & Technical Education  
& Employment Department  
Govt. of Maharashtra, Mantralaya  
Mumbai - 400 032, Maharashtra

Sub.: Extension of AICTE approval to GODAVARI COLLEGE OF ENGINEERING GUT NO.161, NATIONAL HIGHWAY OF NASHIRABAD SHIVNAGAR, TAL & DIST. JALGAON. TEMP. ADD : C/O. K.E. SOCIETY'S M.J. COL CAMPUS, JALGAON - 425 002. for conduct of Degree course(s) in Engineering & Technology for the academic year(s) 2000-2001.

Sir,  
I am directed to state that on consideration of the reports of the Expert Committee and in consultations with the concerned agencies in this regard, the All India Council for Technical Education (AICTE), is pleased to accord extension of approval to GODAVARI COLLEGE OF ENGINEERING GUT NO.161, NATIONAL HIGHWAY OF NASHIRABAD SHIVNAGAR, TAL & DIST. JALGAON. TEMP. ADD : C/O. K.E. SOCIETY'S M.J. COL CAMPUS, JALGAON - 425 002. only for the course(s) and intake capacity as given below with the specific conditions that admission shall be made through the Central Counselling by the Govt. of Maharashtra only:

Course(s)	Approved Intake	Level
COMPUTER ENGINEERING	60	DEGREE
ELECTRONICS ENGINEERING	60	DEGREE
INFORMATION TECHNOLOGY	60	DEGREE
TOTAL	180	

This approval has been accorded subject to fulfillment of norms & standards of the Council for the course(s) and intake approved above.

Further, the observations and specific conditions (if any) of the expert committee are annexed to this letter. The institution shall fulfill all the conditions without any delay. Nonfulfillment will lead to withdrawal of approval without the need of any more opportunity, as the institution is well aware of the deficiencies.

1/3 -

The admission will be made in accordance with Regulations notified by the AICTE vide GSR 476(E) dated 20.05.1994 based on the Hon'ble Supreme Court Judgement dated 04.02.1993 with regard to WP(C) No. 607 of 1992 in the case of Unni Krishanan JP and other etc. V/s. State Government of Andhra Pradesh and others etc. and later judgements. No Management/Institute/Trust or Society shall announce admissions directly under any circumstances. Any action contrary to this provision taken by the institute will make it liable to be derecognised.

Further, in the event of infringement/contravention or non-compliance of the norms & standards prescribed by the AICTE during the last approved academic year, the Council shall take further action to withdraw approval to this case for admission during subsequent academic year and the liability arising out of such withdrawal of approval will be solely that of Management/Trust/Society and/or Institutions.

The Council reserves the right to visit the institution any time it may deem fit to verify the compliance of Norms & Standards of AICTE.

You are requested to kindly monitor the progress made by this institution for fulfillment of the Norms & Standards of the Council & keep the concerned Regional Committee and AICTE informed.

Yours faithfully,

*Anand Mohan Agrawal*  
(A.M. AGRAWAL)  
*AMH*

COPY TO :

1. Regional Officer, Western Regional Office, All India Council for Technical Education, Industrial Assurance Building, 2nd Floor, Nariman Road Mumbai 400020.

He is requested to closely monitor the compliance of norms & standards stipulated by the Council and keep the concerned Regional Committee and the AICTE informed of the same.

The infrastructural and other facilities shall be reviewed during the last approved academic year and recommendations of the concerned Regional Committee be made available to the AICTE.

2. The Director of Technical Education, Govt. of Maharashtra, 3, Mahapalika Marg, Mumbai 400 020.
3. DIRECTOR/PRINCIPAL, GOAVARI COLLEGE OF ENGINEERING GUT NO.161, NATIONAL HIGHWAY OF NASHIRABAD SHIVNAGAR, TAL & DIST. JALGAON. TEMP. ADD : C/O. K.E. SOCIETY'S M.J. COL CAMPUS, JALGAON - 425 002.

With a request to fulfill the deficiencies as annexed to this letter and submit the compliance by December, 2000 to the Regional Office.


He is informed that this is an opportunity given to the institute.

This may also be taken as advance notice that failure to rectify the deficiencies will entail withdrawal of approval, as persistence of these deficiencies are detrimental to the quality of teaching learning process.

4. The Registrar, NORTH MAHARASHTRA UNIVERSITY

He is requested to complete the process of affiliation for facilitating admissions in the course(s) and intake approved by the Council.

Guard File.

  
06/11/2000  
(Nirendra Dev)  
Deputy Director(ET)

**GODAVARI FOUNDATION'S  
GODAVARI COLL. OF ENGG.,  
JALGAON.**

**LAND :**

Additional land area should be provided as per AICTE norms for the said course(s) to establish the facilities of academic/administrative amenities requirement. The confirmation of providing additional area to meet the minimum land requirement of AICTE norms should be made within 6 months.

**BUILDING :**

The building layout such as classrooms, laboratories, workshop is of inadequate size and area. The overall area of the internal space for above should be modified and expanded to provide adequate laboratories and classrooms as per AICTE norms.

The building classrooms/laboratories/workshop should be provided with adequate ventilation and lighting for conducive working.

The general up-keeping of the building and interval environment requires Modification / renovation / alteration to provide conducive working environment. As such, modification should be made to provide adequate moving space, Ventilation, lighting etc., as required for such professional courses.

**FACULTY :**

The total teaching faculty ratio with respect to various levels of faculty such as Professors, Asst. Professors, Lecturers should be as per the minimum norms of the AICTE and pay inadequacies should be made-up immediately in all the course(s)/disciplines and confirmed.

The Principal / Head of the Institution and other faculty members such as HODs / Sr. Lecturers / Lecturers should be appointed on regular basis and should possess minimum qualification and experience as prescribed by AICTE. No faculty members should be appointed and engaged as regular faculty unless having fulfilled meeting the AICTE minimum norms of qualification and experience etc., and confirmed.

All the faculty members including the principal, head of the Institution should be selected and placed as per the regular selection procedures, such as, by constituting proper selection committees and following the open selection process. These appointments are required to be approved and regularised by the competent authorities and confirmed.

All faculty members recruited and placed under regular selection process should be Paid AICTE prescribed pay scales. Proper records and rolls of acquittance of their payments shall be maintained by the Institution, and the records of which shall be subjected to verification by competent authorities whenever called for.

Although the Institution can engage the services of part time / visiting faculty as only to the extent of what norms provide as contributing faculty, the same cannot be substituted against the regular full time faculty, Who should be appointed on permanent basis as per the minimum AICTE's norms and confirmed.

The total teaching faculty ratio with respect to various levels of faculty such as H.O.D./Sr. Lectures / Lecturers should be as per minimum norms of the AICTE and

## **WORKSHOP :**

The workshop area / building should be as per minimum norms of AICTE with area and equipments.

The equipment provided in the workshop should be increased to avoid overcrowding of the students.

The workshops staff and non-teaching technical staff should be recruited and placed as per AICTE norms.

Proper lighting/ventilation and moving space should be provided for conducive work environment.

State of art and latest technological machines and equipment's as per AICTE norms.

## **LABORATORY :**

All laboratories should be provided and fully established for various courses/disciplines by providing adequate space, furniture, equipments and reference materials, as per AICTE's minimum norms.

Each laboratory should be equipped with minimum set up equipments as per the requirements and the total investment on each laboratory shall be as per norms of AICTE.

All equipments in the laboratory should be properly documented and records for the same be maintained as stock registers in the respective laboratories with details of the cost, date of purchase and numbers. These records shall be made available for verification to the assessment committee, without fail whenever required.

## **LIBRARY :**

The library area should be adequate to provide the minimum space requirements for reading room and stacking area.

The Institution should provide all important National and International Technical Journals Magazines and periodicals as per AICTE norms. Any shortage shall be immediately overcome by additional subscription and investment.

Adequate furniture should be provided in the reading hall as per AICTE norms for the ratio of the total students.

The library should be managed by qualified librarian and other supporting staff as per AICTE norms.

The Institution should provide the minimum number of titles and books with annual additions as per AICTE norms in all the disciplines / courses.

## **FINANCIAL STANDING :**

The Financial standings details such as Income and Expenditure statements and Balance sheet should be audited and furnished to the AICTE / WRO office or any other authorised expert by AICTE as and when called off.